



401 N. Raddant Rd.
 Batavia, IL 60510
 ph: 630-761-8900
 fx: 630-761-8989



Material Safety Data Sheet

Titan 7565

Revision Date: 10/29/05

1. Chemical Product and Company Identification:

Product Name: Titan 7565
 Product Type: Anaerobic

2. Composition, Information on Ingredients:

<u>Ingredients</u>	<u>CAS Number</u>	<u>%</u>
Amorphous Silica	112945-52-5	0.1-1
Cumene Hydroperoxide*	80-15-9	1-3
Titanium Dioxide	13463-67-7	1-5

*This component is listed as a SARA Section 313 Toxic Chemical

Ingredients which have exposure limits:

Exposure limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
Cumene Hydroperoxide	None	None	1ppm (6mg/m3) Skin (WEEL)
Amorphous Silica	10mg/m3 TWA	6mg/m3 TWA	3mg/m3 TWA resp. dust
Titanium Dioxide	10 mg/m3 TWA	15 mg/m3 TWA Total dust	

3. Hazards Identification:

Primary Routes of Entry: Eye, skin contact.
 Signs and symptoms of Exposure: May cause dermatitis with prolonged contact on sensitive individuals.
 Existing conditions aggravated by exposure: None known.



401 N. Raddant Rd.
Batavia, IL 60510
ph: 630-761-8900
fx: 630-761-8989

Titan 7565
Page 2 of 4



4. First Aid Measures:

Ingestion: Do not induce vomiting. Keep calm. Obtain medical attention.
Inhalation: Does not apply.
Skin Contact: Wash affected area with soap and water.
Eye Contact: Flush with warm water for several minutes. Obtain medical attention.

5. Fire Fighting Measures:

Flash Point: >93°C (200°F) Method: Tag Closed Cup
Extinguishing Media: Foam, Dry Chemical, or Carbon Dioxide
Unusual Fire or Explosion Hazards: None
Special Firefighting Procedures: None
Hazardous Products Formed by Fire Or Thermal Decomposition: Irritating organic vapors

6. Accidental Release Measures:

Steps to be taken in case of spill or leak: Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

7. Handling and Storage:

Safe storage: Store below 100°F.
Handling: Avoid contact with skin and eyes.

8. Protective Equipment:

Eye Protection: Safety glasses or goggles with side shields.
Skin: Rubber, polyethylene, or neoprene gloves.
Ventilation: Does not apply.
Respiratory Protection: Does not apply.

9. Physical and Chemical Properties:

Appearance: Off-white paste
Odor: Mild
Boiling Point: Greater than 149°C (300°F)
Vapor Pressure: Less than 5mmHg @ 27°C (80°F)
Vapor Density: Approximately 3 (air = 1)
Evaporation Rate: Not Applicable
Specific Gravity: 1.1
Solubility in Water: Negligible
VOC content: 0.111%, 1.2 g/L (EPA Method 24)



401 N. Raddant Rd.
Batavia, IL 60510
ph: 630-761-8900
fx: 630-761-8989

Titan 7565
Page 3 of 4



10. Stability and Reactivity:

Stability: Stable
Hazardous Polymerization: Will not occur
Incompatibility: Strong oxidizers, free radical initiators, inert gases
Hazardous Decomposition Products: None

11. Toxicological Information: See Section 3

12. Ecological Information: No Data

13: Disposal Considerations:

Disposal Procedures: Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations. Not a RCRA Hazardous waste.

14. Transportation Information:

Domestic Ground Transport:

Proper shipping name: Unrestricted
Hazard class or division: None
Identification number: None
Marine pollutant: No

International Air Transportation (ICAO/IATA):

Proper shipping name: Unrestricted
Hazard class or division: None
Identification number: None
Packing Group: None

Water transportation (IMO/IMDG):

Proper shipping name: Unrestricted
Hazard Class or Division: None
Identification number: None
Packing Group: None
Marine pollutant: None



401 N. Raddant Rd.
 Batavia, IL 60510
 ph: 630-761-8900
 fx: 630-761-8989

Titan 7565
Page 4 of 4



15. Regulatory Information:

CA Proposition 65: None

TSCA: All components are listed or are exempt from listing.

CERCLA/SARA 313: This product contains the following toxic chemical subject to the reporting requirements of section 313: Cumene hydroperoxide(CAS# 80-15-9).

CEPA DSL/NDSL (Canada) All components are listed on or exempt from listing on the Domestic Substances List.

WHMIS(Canada) D.2.A, D.2.B

16: Other Information:

Hazard	NFPA Hazard Code®	HMIS Hazard Code®
Health	1	1
Fire	1	1
Reactivity	1	1
Specific Hazard	None	Personal Protection See Section 8

NFPA is a registered trademark of the National Fire Protection Association.
 HMIS is a registered trademark of the National Paint and Coatings Association.

Prepared by: Kimberly McCall, Chemist
 Company: Cyberbond L.L.C. • 401 North Raddant Road • Batavia, IL 60510
 Phone: 630-761-8900 /Fax: 630-761-8989