



Material Safety Data Sheet

401 N. Raddant Rd.
Batavia, IL 60510
ph: 630-761-8900
fx: 630-761-8989

Titan 7569

www.cyberbond1.com
"The Power of Adhesive Information"™

Revision Date: 08/01/08

1. Chemical Product and Company Identification:

Product Name: Titan 7569
Product Type: Anaerobic
Emergency Number: 800-535-5053

2. Composition, Information on Ingredients:

Ingredients	CAS Number	%
Cumene Hydroperoxide*	80-15-9	1-3

*This component is listed as a SARA Section 313 Toxic Chemical

Ingredients which have exposure limits

Exposure limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
Cumene Hydroperoxide	None	None	1ppm (6mg/m3) Skin (WEEL)

3. Hazards Identification:

Primary Routes of Entry:	Eye, skin contact.
Signs and symptoms of Exposure:	May cause dermatitis with prolonged contact on sensitive individuals.
Existing conditions aggravated by exposure:	None known.

4. First Aid Measures:

Ingestion:	Do not induce vomiting. Keep calm. Obtain medical attention.
Inhalation:	Does not apply.
Skin Contact:	Wash affected area with soap and water.
Eye Contact:	Flush with warm water for several minutes. Obtain medical attention.

Material Safety Data Sheet

Titan 7569

5. Fire Fighting Measures:

Flash Point:	>93°C (200°F) Method: Tag Closed Cup
Extinguishing Media:	Foam, Dry Chemical, or Carbon Dioxide
Unusual Fire or Explosion Hazards:	None
Special Firefighting Procedures:	None
Hazardous Products Formed by Fire Or Thermal Decomposition:	Irritating organic vapors

6. Accidental Release Measures:

Steps to be taken in case of spill or leak:	Soak up with inert absorbent. Store in a partly filled, closed container until disposal.
---	--

7. Handling and Storage:

Safe storage:	Store below 100°F.
Handling:	Avoid contact with skin and eyes.

8. Protective Equipment:

Eye Protection:	Safety glasses or goggles with side shields.
Skin:	Rubber, polyethylene, or neoprene gloves.
Ventilation:	Local exhaust
Respiratory Protection:	Does not apply.

9. Physical and Chemical Properties:

Appearance:	Brown liquid
Odor:	Mild
Boiling Point:	Greater than 149°C (300°F)
Vapor Pressure:	Less than 5mmHg @ 27°C (80°F)
Vapor Density:	Not available
Evaporation Rate:	Not available
Specific Gravity:	1.05
Solubility in Water:	Negligible
VOC content:	0.81%, 8.5 g/L (EPA Method 24)

Material Safety Data Sheet

Titan 7569

Stability and Reactivity:

Stability:	Stable
Hazardous Polymerization:	Will not occur
Incompatibility:	Strong oxidizers
Hazardous Decomposition Products:	None

11. Toxicological Information: See Section 3

12. Ecological Information: No Data

13: Disposal Considerations:

Disposal Procedures: Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations. Not a RCRA Hazardous waste.

14. Transportation Information:

Domestic Ground Transport:

Proper shipping name:	Unrestricted
Hazard class or division:	None
Identification number:	None
Marine pollutant:	No

International Air Transportation (ICAO/IATA):

Proper shipping name:	Unrestricted
Hazard class or division:	None
Identification number:	None
Packing Group:	None

Water transportation (IMO/IMDG):

Proper shipping name:	Unrestricted
Hazard Class or Division:	None
Identification number:	None
Packing Group:	None
Marine pollutant:	None

Material Safety Data Sheet

Titan 7569

15. Regulatory Information:

CA Proposition 65: None

TSCA: All components are listed or are exempt from listing.

CERCLA/SARA 313: This product contains the following toxic chemical subject to the reporting requirements of section 313: Cumene hydroperoxide(CAS# 80-15-9).

CEPA DSL/NDSL (Canada) All components are listed on or exempt from listing on the Domestic Substances List.

WHMIS (Canada) D.2.B

16: Other Information:

Hazard	NFPA Hazard Code®	HMIS Hazard Code®
Health	2	2
Fire	1	1
Reactivity	1	1
Specific Hazard	None	Personal Protection See Section 8

NFPA is a registered trademark of the National Fire Protection Association.

HMIS is a registered trademark of the National Paint and Coatings Association.

Prepared by: Cyberbond Regulatory Department
Company: Cyberbond L.L.C. • 401 North Raddant Road • Batavia, IL 60510
Phone: 630-761-8900 /Fax: 630-761-8989